

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20000201" @rlad<"20000201") and domain logic bank of america asyst assignee	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:07
L1	8	"899833".ap.	US- PGPUB; USPAT	OR	OFF	2009/05/11 10:26
S1	46	("20020026514" "20030134590" "4698766" "5271453" "5291416" "5432702" "5453933" "5805442" "5809028" "5826040" "5847957" "5862325" "5901286" "5948063" "5961588" "5987135" "6016516" "6021331" "6094678" "6167451" "6198480" "6201996" "6332163" "6349341" "6370448" "6418214" "6418352" "6421682" "6463352" "6470227" "6535779" "6549937" "6553403" "6615091" "6618425" "6640151" "6658571" "6681145" "6708223" "6826439" "6832120" "6842660" "6944584" "7031783" "7053767" "7069101").PN.	US- PGPUB; USPAT	OR	OFF	2008/12/16 14:32
S2	1	"6192415".pn.	US- PGPUB; USPAT	OR	OFF	2008/12/16 14:34
S3	1862	(@ad<"20000201" @rlad<"20000201") and (url near9 (method class object script instruction)) and (secs gem manufactur\$5 fabricat\$5 cutting machinery tool)	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:08
S4	145	S3 and (secs gem manufactur\$5 fabricat\$5 cutting machinery tool).ab.	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:09

S5	10	S3 and "703".clas.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:12
S6	870	(@ad<"20000201" @rlad<"20000201") and (url near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:16
S7	916	(@ad<"20000201" @rlad<"20000201") and ((url uri) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invoc\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:18
S8	1	(@ad<"20000201" @rlad<"20000201") and ((url uri) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invoc\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur\$5 fabricat\$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:19

S9	1	(@ad<"20000201" @rlad<"20000201") and ((url uri (web\$5 near3 (address \$5link))) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invoc\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur\$5 fabricat\$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment))	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:24
S10	1	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location))) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5 invoc \$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur\$5 fabricat\$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment))	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:25

S11	1621	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invok\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5))	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:26
S12	455	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invok\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ("703" "709").clas. not "I5"	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:26
S13	34	S12 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab. and ("703" "709").clas. not "I5"	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:27
S14	34	S12 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab. and ("703" "709").clas.	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:27
S15	0	S12 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab. and ("703" "709" "700").clas. not S14	US- PGPUB; USPAT	OR	OFF	2009/04/30 13:29

S16	421	S12 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ("703" "709" "700").clas. not S14	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:29
S17	79	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5 invoc\$5)) and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ("703" "709" "700").clas. not S14 and ((url uri) near9 (path directory))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:31
S18	0	S12 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ("703" "709" "700").clas. not S14 and brook\$4.as.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:32
S19	88	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5 invoc\$5)) and ((manufactur\$5 industrial fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) and ("703" "709" "700").clas. not S14 and ((url uri) near9 (path directory))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:33

S20	69	S19 and tool	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:35
S21	4744	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction simulat\$5 control \$5 instantiat\$5 invok\$5 override over-ride)) and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction simulat\$5 control \$5 instan\$3))	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:02
S22	2805	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom \$5 updated)) and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan \$3)) and ((override over- ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5))	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:04

S23	151	S22 and ((override over-ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:05
S24	78	S22 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:07
S25	151	S23 not S24	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:43
S26	946	S22 and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) not S24	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:48
S27	28	S22 and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) not S24 and "700".clas.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:48
S28	2805	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated)) and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3)) and ((override over-	US-PGPUB; USPAT	OR	OFF	2009/05/08 19:01

		ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5))				
S29	78	S28 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab.	US- PGPUB; USPAT	OR	OFF	2009/05/08 19:01
S30	28	S28 and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro- mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) not S29 and "700".clas.	US- PGPUB; USPAT	OR	OFF	2009/05/08 19:01
S31	2805	(@ad<"20000201" @lad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 invoc\$5 override over-ride replac\$4 substitute alternative custom \$5 updated)) and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan \$3)) and ((override over- ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5))	US- PGPUB; USPAT	OR	OFF	2009/05/10 18:48

S32	78	S31 and ((manufactur\$5 fabricat\$5 cutting machinery tool) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S33	28	S31 and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) not S32 and "700".clas.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S34	253	S31 and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5)) not (S32 S33) and ("709" "718" "719").clas.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S35	191	S34 and ((override override replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct\$5 applet bean)) and ((manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat\$5 control\$5 instantiat\$5 construct\$5 applet bean)) not (S32 S33) and ("709" "718" "719").clas. and ((url uri web\$5) same (manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:09
S36	17	S35 and ((url uri web\$5) same (manufactur\$5 fabricat\$5 cutting machinery tool robot electro-mechanical mechanical)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:09

S37	59	S35 and automation not S36	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:14
S38	115	S35 not (S36 S37)	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:16
S39	9145	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom \$5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:24
S40	156	S39 and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3 construct applet bean signature)) and ((override over-ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean signature)) and (match\$3 near9 (signature construct))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:25
S41	4	S40 and ((url uri web\$5) same (manufactur\$5 fabricat\$5 cutting machinery tool robot electro- mechanical mechanical)). ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:29
S42	67	S40 and ((url uri web\$5) same (manufactur\$5 fabricat\$5 cutting machinery tool robot electro- mechanical mechanical)) not S41	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:29

S43	9383	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function applet bean java\$5 simulat \$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated))	US- PGPUB; USPAT	OR	OFF	2009/05/10 19:34
S44	1	S43 and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3 construct applet bean signature)) and ((override over-ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean signature)) and (match\$3 near9 (signature construct)) not S40	US- PGPUB; USPAT	OR	OFF	2009/05/10 19:35
S45	11273	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) near9 (method class object script instruction model function applet bean java\$5 code software application simulat \$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated))	US- PGPUB; USPAT	OR	OFF	2009/05/10 19:37

S46	51	S45 and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3 construct applet bean java\$5 code software application signature)) and ((override over-ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean java\$5 code software application signature)) and (match\$3 near9 (signature construct)) not S40	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:38
S47	0	S45 and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3 construct applet bean java\$5 code software application signature DLL library)) and ((override over-ride replac \$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean java\$5 code software application signature DLL library)) and (match\$3 near9 (signature construct)) not (S40 S46)	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:43
S48	443	(@ad< "20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) same (registry))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:51

S49	1	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) same (registry)) and ((override over-ride) near4 registry)	US- PGPUB; USPAT	OR	OFF	2009/05/10 19:51
S50	11	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web\$5 html internet http) near3 (address \$5link location reference))) same (registry)) and ((override over-ride) near4 (registry method library function))	US- PGPUB; USPAT	OR	OFF	2009/05/10 21:29
S51	1575	(@ad<"20000201" @rlad<"20000201") and (remote\$5 near9 (method class object script instruction model function applet bean java\$5 code software application simulat \$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated)) and (registry near9 (method class object script instruction model function applet bean java\$5 code software application simulat\$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom \$5 updated))	US- PGPUB; USPAT	OR	OFF	2009/05/11 08:32
S52	23	S51 and ((factory default original previous\$5 \$3determined existing base) near9 (method class object script instruction model function simulat\$5 control\$5 instan\$3 construct applet bean java\$5 code software application signature)) and ((override over-ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5	US- PGPUB; USPAT	OR	OFF	2009/05/11 08:33

		instantiat\$5 construct applet bean java\$5 code software application signature)) and (match\$3 near9 (signature construct))				
S53	6	S51 and ((override over- ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean java\$5 code software application signature)) and (match\$3 near9 (signature construct argument)) not S52	US- PGPUB; USPAT	OR	OFF	2009/05/11 08:35
S54	7182	(@ad<"20000201" @rlad<"20000201") and (remote\$5 near9 (method class object script instruction model function applet bean java\$5 code software application simulat \$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated)) and ((registry code byte indicator bit list flag tag) near3 (override over-ride replac\$4 substitute custom\$5 updated))	US- PGPUB; USPAT	OR	OFF	2009/05/11 08:39
S55	125	S54 and ((override over- ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean java\$5 code software application signature)) and (match\$3 near9 (signature construct argument)) not (S52 S53)	US- PGPUB; USPAT	OR	OFF	2009/05/11 08:40

S56	717	(@ad<"20000201" @rlad<"20000201") and (remote\$5 near9 (method class object script instruction model function applet bean java\$5 code software application simulat \$5 control\$5 instantiat\$5 invok\$5 override over-ride replac\$4 substitute alternative custom\$5 updated)) and ((pointer) near3 (override over-ride replac\$4 substitute custom \$5 updated))	US- PGPUB; USPAT	OR	OFF	2009/05/11 09:18
S57	2	S56 and ((override over- ride replac\$4 substitute alternative custom\$5 updated) near4 (method class object script instruction model function simulat\$5 control\$5 instantiat\$5 construct applet bean java\$5 code software application signature)) and (match\$3 near9 (signature construct argument)) not (S52 S53 S55)	US- PGPUB; USPAT	OR	OFF	2009/05/11 09:18

5/ 11/ 2009 10:52:48 AM

C:\ Documents and Settings\ gbengzon\ My Documents\ EAST\ Workspaces\ GCB 09496009
Web-based Tool management.wsp